

COTS Impact to RM&S from an ISEA Perspective

Robert Howard

Land Attack System Engineering, Test & Evaluation Division Supportability Manager, Code L20

DISTRIBUTION STATEMENT A: APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.


a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 10	19a. NAME OF RESPONSIBLE PERSON	
15. SUBJECT TERMS						
14. ABSTRACT						
13. SUPPLEMENTARY NO 5th Annual Acquis Monterey, CA	otes ition Research Sym	posium: Creating S	Synergy for Inforn	ned Change,	May 14-15, 2008 in	
12. DISTRIBUTION/AVAILABLE Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited				
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Sea Systems Comd Port Hueneme, Land Attack Department, Code L20, Port Hueneme, CA,93041				8. PERFORMING ORGANIZATION REPORT NUMBER		
				5f. WORK UNIT NUMBER		
				5e. TASK NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
4. TITLE AND SUBTITLE COTS Impact to RM&S from an ISEA Perspective				5c. PROGRAM ELEMENT NUMBER		
				5a. CONTRACT NUMBER 5b. GRANT NUMBER		
1. REPORT DATE MAY 2008	2. REPORT TYPE			3. DATES COVERED 00-00-2008 to 00-00-2008		
maintaining the data needed, and of including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comment arters Services, Directorate for Info	s regarding this burden estimate or ormation Operations and Reports	or any other aspect of the control o	his collection of information, Highway, Suite 1204, Arlington	

Report Documentation Page

Form Approved OMB No. 0704-0188


Introduction





NSWC Port Hueneme Background






Mission: Integrate, Test, Evaluate and Provide Life-Cycle Engineering and Logistics for Today's and Tomorrow's Warfare Systems

NSWC Port Hueneme Background

LAND ATTACK
DE STATE OF THE PURE NET THE PUR

- AEGIS Combat System
- Ballistic Missile Defense (BMD)
- Close In Weapon System
- •Cooperative Engagement Capability (CEC)
- Battle Force Interoperability
- Evolved NATO Seasparrow Missile (ESSM)
- Guided Missile Launching Systems
- Gun Weapon Systems (Major/Minor Caliber)
- HARPOON Weapon System
- HE Laser
- Integrated Auto Detect & Tracking System
- •MK 34 Gun Weapon System
- •MK 86 Gun Fire Control System



- •MK 92 Fire Control System
- •NATO Seasparrow Missile System
- Rapid Anti-Ship Missile Integrated Defense System
- •Rolling Airframe Missile System
- Search Radars
- •Ship Self Defense System (SSDS)
- Standard Missile
- Tactical TOMAHAWK
- Target Acquisition System
- •TOMAHAWK Weapon Control System (All Variants) and TOMAHAWK All Up Round
- Underway Replenishment
- Vertical Launching System



Architecture



Issue

Sustainment challenges as we move to Open Architecture

Impact

Increased "system" reliability issues

Increased maintenance complexity

Increased configuration tracking requirements


Interim Solution

Fleet operating procedures

System level maintenance aids SUB LRU tracking process

Long Term Solution

Design inherent capabilities to provide FD/FI Reduce conflicts in architecture issues Allow architecture to change as issues are found



Design Support Analysis



IssueCurrent MILSTD only addresses hardware issues.

Impact

Unknown reliability issues

Inadequate maintenance aids

Inaccurate root cause identification

"...was upgraded to ..., since then we have experienced constant system problems . . . experienced issues with technical documentation, parts support, equipment training, system reliability and computer program performance"

Interim Solution

Update and develop R&M analysis products

Conduct analysis of fleet failure

Long Term Solution

Conduct Gap analysis on current supportability guidance Leverage from commercial efforts



Data



Actual

~63% outside 1 Lambda

Issue Inaccurate data obtained from manufacturer

Impact

Architecture is over and under designed

Optimal maintenance strategy may not be reflected

Inaccurate modeling for lifetime "buy" requirements

Interim Solution


Adjust maintenance and supply support posture on actual reliability data


Plan for reassessment of "O", "I", and "D" levels

Buy to confidence level and use fleet inventory shore assets for risk fallback

Long Term Solution

Develop weighting mechanism for adjusting predicted failure rates Have a iterative process for improving confidence and failure rate Adjust acquisition or ILS milestones based on confidence of data





Feedback



Issue

RMS Data is incomplete and inaccurate for analysis beyond LRU replacement

Impact

Reliability issues are masked

Maintainability issues are not identified

System support issues are correlated to hardware, not the system

Interim Solution

Use comparative analysis


Utilize direct observations and qualitative feedback mechanisms

Modify engineering analysis process to identify correlating factors


Long Term Solution

Invest in architecture to allow automated data structures for transmission of required data

Develop shorebase analysis tools as part of knowledge management




2k – Use of optional fields is decreasing and majority ordered parts (95% in FY05)



Next Generation Roadmap





Summary





ISEA recognizes the changing architecture requires changes how we provide in-service to the fleet.